


GRADING ENVELOPE



C.R. Min. 13 Tonne
W.R. AA, AB, AC, BA, BB or CA
S.E. Min. 40
L.L. <25
P.I. Max. <5

PERCENTAGE PASSING

British Standard Sieves (Grading)

37.5 mm	100
19.00 mm	85-75
9.50 mm	43-62
4.75 mm	28-43
2.36 mm	18-35
1.18 mm	10-25
600 um	7-20
425 um	4-16
300 um	3-13
150 um	1-10
75 um	0-7

Note:

1. For use as Basecourse on Carriageways of 7.8m width or less.
2. For use as Sub Basecourse on all roads.

MANARC

MANUKAU CITY APPROVED
REQUIREMENT

DETAIL:

**WHITFORD A.P.40mm
BASECOURSE**

UPDATED:

SEPT 1998

DETAIL No:

MR-3

MANUKAU CITY COUNCIL