


GRADING ENVELOPE



L.L. Max. 30
 L.A. Max 40%
 P.I. Max. 8

PERCENTAGE PASSING

British Standard Sieves (Grading)

63 mm	100
37.50 mm	55-80
19.00 mm	35-60
9.50 mm	20-40
4.75 mm	10-25
2.0 mm	3-15
63 um	0-5

MANARC

MANUKAU CITY APPROVED
 REQUIREMENT

DETAIL:

65mm SUB-BASECOURSE

UPDATED:

SEPT 1998

DETAIL No:

MR-4

MANUKAU CITY COUNCIL