


# GRADING ENVELOPE



L.L Max.                    30  
 L.A Max                    40%  
 P.I Max.                    8

## PERCENTAGE PASSING

British Standard Sieves (Grading)

100 mm	100
63. mm	70-85
37.5 mm	45-70
19.0 mm	30-50
9.5 mm	-
6.5 mm	20-35
4.75 mm	-
2.0 mm	10-20
300 um	5-10
63 um	0-5

**MANARC**

MANUKAU CITY APPROVED  
 REQUIREMENT

DETAIL:

**100mm SUB-BASECOURSE**

UPDATED:

**SEPT 1998**

DETAIL No:

**MR-5**

**MANUKAU CITY COUNCIL**