


GRADING ENVELOPE



C.R Min. 13 Tonne
 W.R AA, AB, AC, BA, BB, or CA
 L.I. <25
 P.I Max. <5

PERCENTAGE PASSING

British Standard Sieves (Grading)

37.5 mm	100
19.00 mm	66-81
9.50 mm	39-63
4.75 mm	25-49
2.36 mm	16-38
1.18 mm	10-28
600 um	6-20
425 um	
300 um	2-14
150 um	0-10
75 um	0-8

Note:

1. For use as Basecourse on Carriageways of 7.8m width or less.
2. For use as Sub Basecourse on all roads.

MANARC

MANUKAU CITY APPROVED
REQUIREMENT

DETAIL:

EAST TAMAKI AP.40 BASECOURSE

UPDATED:

SEPT 1998

DETAIL No:

MR-7

MANUKAU CITY COUNCIL