


# GRADING ENVELOPE



C.R Min.                    110 kN  
W.R                            CA or Better  
S.E.                            25 min

## PERCENTAGE PASSING (Grading to NZS 4404) British Standard Sieves (Grading)

37.5 mm	100
19.00mm	61-80
9.50 mm	38-57
4.75 mm	23-43
2.36 mm	14-33
1.18 mm	7-25
600 um	2-19
300 um	0-14
150 um	0-10
75 um	0-7

### Note:

1. For use as Basecourse on Carriageways of 7.8m width or less.
2. For use as Sub Basecourse on all roads.

**MANARC**

MANUKAU CITY APPROVED  
REQUIREMENT

DETAIL:

**G.A.P 40 BASECOURSE**

UPDATED:

**MAY 1999**

DETAIL No:

**MR-9**

**MANUKAU CITY COUNCIL**