

Consent ID: 21737 e 21739.

AUCKLAND REGIONAL COUNCIL

RESOURCE CONSENT

Granted Pursuant to the Resource Management Act 1991

STORMWATER DIVERSION AND DISCHARGE CONSENT Nos. 21737 & 21739

CONSENT HOLDER: Saint Kentigern Trust Board

FILE REFERENCE: 12743

RECOMMENDED CONDITIONS OF CONSENT:

Date of Expiration of Permit: 31 December 2033

Lapsing Date of Consent Five years from the date of issue of this consent.

Purpose of Consent: To divert and discharge stormwater from development of school property.

Works: Construction stormwater drainage system.

Site Location 140 Pakuranga Road, Pakuranga.

Territorial Authority: Manukau City Council

Map Reference NZMS 260 R11 771756

STANDARD CONDITIONS OF CONSENT:

1. That the servants or agents of the Auckland Regional Council shall be permitted access to the relevant parts of the property at all reasonable times for the purpose of carrying out inspections, surveys, investigations, tests, measurements or taking samples.
2. That the Auckland Regional Council (or where the consent relates to a Restricted Coastal Activity, the Minister of Conservation) may at any time on the giving of not less than 3 months notice in writing serve notice on the consent holder of its intention to review any of the conditions of this consent for any of the following purposes :
 - i. To deal with any adverse effect on the environment which may arise from the exercise of the consent and which it is appropriate to deal with at a later stage; or
 - ii. To require a discharge permit holder to adopt the best practicable option to remove or reduce any adverse effect on the environment; or

- iii. To deal with any other adverse effect on the environment on which the exercise of the Consent may have an influence.

SPECIAL CONDITIONS OF CONSENT:

1. That the works shall be constructed in accordance with Figure 14 Stormwater Concept Plan supplied as supporting information with the application. Any significant differences shall be forwarded to the Manager, Land and Water Quality, Auckland Regional Council for approval prior to construction.
2. That, for stormwater flows in excess of the capacity of the primary system, secondary flow paths, as identified on Figure 14 Stormwater Concept Plan supplied by the applicant, be provided and maintained free of obstructions to allow surplus stormwater from critical storms, up to the 1 in 100 Annual Exceedance Probability, to discharge with the minimum of nuisance and damage.
3. That a management plan for the monitoring and maintenance of the cesspits and any further site stormwater quality measures such as the Enviropod filter bag devices be prepared and forwarded to the Manager, Land and Water Quality, Auckland Regional Council for his approval within 1 month of construction of the stormwater system. The plan shall include, but not be limited to operation, maintenance requirements, frequency of regular maintenance / inspections, installation / removal of filter bags, and inspection checklists for all aspects of the system.
4. The consent holder shall ensure that the site is managed in accordance with the operation and maintenance plan which has been approved the Manager, Land and Water Quality, Auckland Regional Council as specified in special condition 3.
5. That the Consent Holder shall advise the Manager, Land and Water Quality, Auckland Regional Council of the date of commencement of the works, prior to the commencement of the works, and upon completion of the works advise that the works have been completed.
6. That a complete set of "as-built" plans of the stormwater system including the surveyed location of the outfall structure be forwarded to the Manager, Land and Water Quality, Auckland Regional Council within one month of completion of the construction of the stormwater system.

ADVICE NOTE

1. If substantial progress or effort has been made and is continuing to be made towards giving effect to the consent and the applicant has gained the approval of every person who may be effected by the consent, then an application may be made within 3 months of the lapsing date to extend the lapsing date.

SIGNED AT AUCKLAND FOR AND ON BEHALF OF THE AUCKLAND REGIONAL
COUNCIL

I Mayhew
Manager,
LAND AND WATER QUALITY

